



G-SORB

Spill control absorbent made of meltblown technologies. High absorbency with the power of ultrafine polymer fibers. I-REC certified manufacturing with 100% Solar Energy.



G-SORB BIO

100% Organic Content Biodegradable absorbents. Ultra High absorbency with cotton fibers. Developed for Sustainability Sensitive consumers.



G-SORB ECO

Ecological and Economic solution for absorbents. 100% Recycled Fibers finds a replay role on absorbents use.



G-SORB MINE

Mineral based spill clean absorbents use on hard surfaces and landfills. Promoting bioremediation of petrochemicals and hydrocarbons.



G-SORB MAT

Absorbents with liquid barrier property. Safe and Secure your workshop with Antislip, Peel&Stick G-SORB Traffic Mats.



G-SORB GRS

Recycled polymer based Meltblown ultrafine fiber absorbents, certified by GRS Global Recycled Standard.



POLYPROPYLENE MELTBLOWN OIL BINDER SORBENT TYPES

PURE MELTBLOWN

- Economic, high absorption
- Single Ply, No Reinforcement
- Small leaks

PURE MELTBLOWN SORBENTS ULTRASONIC BONDED (DIMPLE)

- Economic, high absorption
- Single Ply, Mechanical Reinforcement
- Small leaks

MM,MMM MULTILAYER SORBENTS ULTRASONIC BONDED (DIMPLE) LOW LINT

- Low Lint, high absorption
- Two/Three Ply, Mechanical Reinforcement
- Small leaks

SM, SMS MULTILAYER SORBENTS ULTRASONIC BONDED (DIMPLE) LINT FREE REINFORCED

- Lint Free on top(SM) on both side(SMS), high absorption
- Two/Three Ply, Mechanical Reinforcement, Heavy duty
- High Performance, Durable

SMF POLYBACKED SORBENTS

- Lint Free on top, liquid barrier on bottom, high absorption
- Three Layer, Mechanical Reinforcement, Heavy duty, Tear Resistant
- High Performance, Durable

SMF POLYBACKED ANTISLIP SORBENTS

- Lint Free on top, liquid barrier on bottom, high absorption
- Three Layer, Mechanical Reinforcement, Heavy duty, Tear Resistant, Antislip on bottom layer
- High Performance, Durable

TRAFFIC MAT SORBENTS DIRT TRAP

- Liquid barrier on bottom, low absorption
- Three Layer, Tear Resistant, SelfAdhesive on bottom layer
- Mid Performance, Heavy duty, Durable, Washable

FILL-IN ABSORBENTS (BOOMS, SOCKS, PILLOWS)

- Fiberized Meltblown Fill-In, Organic Fill-In options available
- Spunbond Cover (BOOMS, SOCKS, PILLOWS)
- Polyester Mesh Cover, Rope, Carabins, Rings (BOOMS)

INDUSTRIAL CLEANING WIPES

- SM ABRASIVE WIPES
- MSM ABSORBENT CLEANING WIPES
- SMS LINT FREE CLEANING WIPES

G-SORB ABSORBENTS SUSTAINABILITY GUIDE

Updated 2025/12/05		G SORB	G SORB GRS	G SORB MAT	G SORB BIO	G SORB ECO	G SORB MINE
Absorbency Rate g/g		10-30	10-30	3-7	10-40	7-10	3-7
Color Availability		White,Grey, Yellow, Green, Pink, etc.	White,Grey, Yellow, Green, Pink, etc.	Grey, Black	Creamy White	White, Color mix	White / Earth
Selective Absorbency	Oil Only	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Universal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Chemical	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Marine Spill Collection Usability		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Sustainability	Content	PP / PET*	Recycled PP rPET*	Recycled PET Fiber	Organic COTTON CELLULOSE PLA*	Recycled PET Fiber	Mineral
	Biodegradable Content	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Recyclability	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Reusability	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Recycled Content	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Renewable Resource	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Renewable Energy Manufacturing	IREC 100%	IREC 100%	IREC 100%	IREC 100%	IREC 100%	IREC 100%
	Sustainability Score*	70	80	60	100	70	100
Product Forms	Pad-Sheet	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Roll	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Socks	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Pillow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Boom	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Liquid Barrier (F)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Stripe-Spaghetti	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Bale Bulk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Powder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Granular	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

G-SORB ABSORBENTS PRODUCTS CODING GUIDE

G-SORB Product Code Glossary

Color	Type	Layers	-	GSM	-	Width cm & Perforation	X	Length cm	-	# inner Pack / Meter Length	-	Packing
			-		-		X		-	1	-	ZZ
"G" Grey	"R" Roll	SMS,MMM,MM,M,SM	-	Roll thickness gsm	-	Roll width cm and .perforation	X	Roll machine direction perforation	-	Roll Meter Length ""M	-	"PE" Paket
"W" White	"P" Ped	SMS,MMM,MM,M,SM	-	Ped thickness gsm	-	Ped width cm and .perforation	X	Ped length cm	-	Ped # inner Pack	-	"CT" Carton
"C" Yellow	"S" Socks	null	-	Socks Weight Gram	-	Socks Diameter cm	X	Socks Length cm	-	Socks # inner Pack	-	
"Y" Green	"Y" Pillow	null	-	Pillow Weight Gram	-	Pillow Diameter cm	X	Pillow Length cm	-	Pillow # inner Pack	-	
"M" Blue	"B" Boom	null	-	Boom Weight Gram	-	Boom Diameter cm	X	Boom Length cm	-	Boom # inner Pack	-	
"A" Pink	"DT" Drum Toppe	SMS,MMM,MM,M,SM	-	Drum Top thickness gsm	-	Drum Topper Diameter cm	X	Drum Topper Diameter cm	-	Drum Topper # inner Pack	-	
etc	"IT" IBC Topper	SMS,MMM,MM,M,SM	-	IBC Top thickness gsm	-	IBC Topper Width cm	X	IBC Topper Length cm	-	IBC Topper # inner Pack	-	



ENVIRONMENTAL PROTECTION ABSORBENTS COLOR CODE

OIL ONLY ABSORBENTS (WHITE)

- ✓ Hydrophobic, does not absorb water.
- ✓ Oil and hydrocarbon specific petrochemical selective absorbent.
- ✓ Sheets, Roll, Socks, Pillow, Boom, Liquid Barrier formats available.

Fields of Use:

Marine & Offshore, Ports, Shipyards, Industrial and Manufacturing Facilities, Maintenance Workshops, Warehouses, Automotive & Transportation, Water Treatment.

UNIVERSAL ABSORBENTS (GREY)

- ✓ Petrochemicals, water, solvent, and all kind of liquids.
- ✓ Sheets, Roll, Socks, Pillow, Boom, Liquid Barrier formats available.

Fields of Use:

Industrial and Manufacturing Facilities, Maintenance Workshops, Warehouses, Automotive & Transportation, Marine & Offshore, Ports, Shipyards, Chemicals Industry.

CHEMICAL ABSORBENTS (YELLOW)

- ✓ Petrochemicals, water, chemical solvents, solutions, and all kind of liquids.
- ✓ Sheets, Roll, Socks, Pillow, Boom, Liquid Barrier formats available.

Fields of Use:

Chemicals Industry, Laboratories, Industrial and Manufacturing Facilities, Maintenance Workshops, Warehouses, Automotive & Transportation.

G-SORB	OIL ONLY	UNIVERSAL	CHEMICAL
COLOR CODE	WHITE	GREY	YELLOW - PINK - GREEN - BLUE
HAZMAT ABSORBENTS	<ul style="list-style-type: none"> ✓ Ped-Sheet ✓ Roll ✓ Socks ✓ Pillow ✓ Liquid Barrier ✓ Boom 	<ul style="list-style-type: none"> ✓ Ped-Sheet ✓ Roll ✓ Socks ✓ Pillow ✓ Liquid Barrier ✓ Traffic Mat 	<ul style="list-style-type: none"> ✓ Ped-Sheet ✓ Roll ✓ Socks ✓ Pillow

UNIVERSAL ABSORBENT PED-SHEET




FUNCTIONALTIES

- ✓ Superabsorbtion for petrochemical, water, solutions and emulsions, and all kinds of liquids.
- ✓ Chemically inactive, resistivity against chemical decomposition.
- ✓ Multilayer ultrasonic bonding enhances durability and flexibility on use.
- ✓ Perforation promotes effective use.
- ✓ 10-30 times of weight absorbtion capacity.

Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
GPSMS-150-40.1X50-100-PE	40 cm x 50 cm	100	47 lt / Pack
GPSMS-200-40.1X50-100-PE	40 cm x 50 cm	100	63 lt / Pack
GPSMS-300-40.1X50-100-PE	40 cm x 50 cm	100	94 lt / Pack
GPSMS-350-40.1X50-100-PE	40 cm x 50 cm	100	109 lt / Pack
GPSMS-400-40.1X50-100-PE	40 cm x 50 cm	100	125 lt / Pack
* Custom size	*	*	*

G-SORB Product Code Glossary

Color	Type	Layers	-	GSM	-	Width cm & .Perforation	X	Length cm	-	# inner Pack / Meter Length	-	Packing	
			-		-	.	X		-	1	-	ZZ	
"G" Grey	"R" Roll	SMS,MMM,MM,M,SM	-	Roll thickness	gsm	-	Roll width cm and .perforation	X	Roll machine direction perforation	-	Roll Meter Length ""M	-	"PE" Paket
"W" White	"P" Ped	SMS,MMM,MM,M,SM	-	Ped thickness	gsm	-	Ped width cm and .perforation	X	Ped length cm	-	Ped # inner Pack	-	"CT" Carton
"C" Yellow	"S" Socks	null	-	Socks Weight	Gram	-	Socks Diameter cm	X	Socks Length cm	-	Socks # inner Pack	-	
"Y" Green	"Y" Pillow	null	-	Pillow Weight	Gram	-	Pillow Diameter cm	X	Pillow Length cm	-	Pillow # inner Pack	-	
"M" Blue	"B" Boom	null	-	Boom Weight	Gram	-	Boom Diameter cm	X	Boom Length cm	-	Boom # inner Pack	-	
"A" Pink	"DT" Drum Toppe	SMS,MMM,MM,M,SM	-	Drum Top thickness	gsm	-	Drum Topper Diameter cm	X	Drum Topper Diameter cm	-	Drum Topper # inner Pack	-	
.etc	"IT" IBC Topper	SMS,MMM,MM,M,SM	-	IBC Top thickness	gsm	-	IBC Topper Width cm	X	IBC Topper Length cm	-	IBC Topper # inner Pack	-	



UNIVERSAL ABSORBENT ROLLS



FUNCTIONALTIES

- ✓ Superabsorbent for petrochemical, water, solutions and emulsions, and all kinds of liquids.
- ✓ Chemically inactive, resistivity against chemical decomposition.
- ✓ Multilayer ultrasonic bonding enhances durability and flexibility on use.
- ✓ Perforation promotes effective use.
- ✓ 10-30 times of weight absorption capacity.

Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
GRSMS-200-40.1X50-50M	40 cm x 50 meters	1	62 lt / Roll
GRSMS-300-40.1X50-50M	40 cm x 50 meters	1	94 lt / Roll
GRSMS-400-40.1X50-50M	40 cm x 50 meters	1	125 lt / Roll
GRSMS-200-80.1X50-50M	80 cm x 50 meters	1	125 lt / Roll
GRSMS-300-80.1X50-50M	80 cm x 50 meters	1	187 lt / Roll
GRSMS-400-80.1X50-50M	80 cm x 50 meters	1	250 lt / Roll
*Custom size	*	*	*

G-SORB Product Code Glossary

Color	Type	Layers	-	GSM	-	Width cm &.Perforation	X	Length cm	-	# inner Pack / Meter Length	-	Packing
			-		-	.	X		-	1	-	ZZ
"G" Grey	"R" Roll	SMS,MMM,MM,M,SM	-	Roll thickness gsm	-	Roll width cm and .perforation	X	Roll machine direction perforation	-	Roll Meter Length ""M	-	"PE" Paket
"W" White	"P" Ped	SMS,MMM,MM,M,SM	-	Ped thickness gsm	-	Ped width cm and .perforation	X	Ped length cm	-	Ped # inner Pack	-	"CT" Carton
"C" Yellow	"S" Socks	null	-	Socks Weight Gram	-	Socks Diameter cm	X	Socks Length cm	-	Socks # inner Pack	-	
"Y" Green	"Y" Pillow	null	-	Pillow Weight Gram	-	Pillow Diameter cm	X	Pillow Length cm	-	Pillow # inner Pack	-	
"M" Blue	"B" Boom	null	-	Boom Weight Gram	-	Boom Diameter cm	X	Boom Length cm	-	Boom # inner Pack	-	
"A" Pink	"DT" Drum Toppe	SMS,MMM,MM,M,SM	-	Drum Top thickness gsm	-	Drum Topper Diameter cm	X	Drum Topper Diameter cm	-	Drum Topper # inner Pack	-	
etc	"IT" IBC Topper	SMS,MMM,MM,M,SM	-	IBC Topper thickness gsm	-	IBC Topper Width cm	X	IBC Topper Length cm	-	IBC Topper # inner Pack	-	



UNIVERSAL ABSORBENT SOCKS

FUNCTIONALTIES

- ✓ Minimum absorbency rate 10g/g of its own weight.
- ✓ Encircle and prevent spread of spills.
- ✓ Suitable for use on narrow cramped cases.
- ✓ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
GS-350-8X120-20 SOCKS UNIVERSAL ABSORBENT	8 cm x 120cm	20	5.45 lt / Piece
GS-800-8X300-10 SOCKS UNIVERSAL ABSORBENT	8 cm x 300cm.	10	12.5 lt / Piece
*Custom size	*	*	*

UNIVERSAL ABSORBENT PILLOWS

FUNCTIONALTIES

- ✓ Minimum absorbency rate 10g/g of its own weight.
- ✓ Suitable for use on narrow cramped cases.
- ✓ Suitable for stationary leakages.
- ✓ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
GY-200-25X25-20 PILLOW UNIVERSAL ABSORBENT	25 cm x 25cm	20	3.1 lt / Piece
GY-350-40X25-10 PILLOW UNIVERSAL ABSORBENT	40 cm x 25cm	10	5.5 lt / Piece
GY-700-45X45-10 PILLOW UNIVERSAL ABSORBENT	45 cm x 45cm	10	10.9 lt / Piece
*Custom size	*	*	*

UNIVERSAL ABSORBENT PED DRUM TOPPER

FUNCTIONALTIES

- ✓ For use on 210lt Drums.
- ✓ Absorbs leakages and spills on top of Drums.
- ✓ Minimum absorbency rate 10g/g of its own weight.
- ✓ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
GDT-200-56x56-25 DRUM TOPPER UNIVERSAL ABSORBENT	56 cm x 56cm	25	1 lt / Piece
*Custom size	*	*	*

OIL ONLY ABSORBENT PED-SHEET



FUNCTIONALTIES

- ✔ Selective Superabsorbtion for oil and petrochemicals.
- ✔ Chemically inactive, resistivity against chemical decomposition.
- ✔ Multilayer ultrasonic bonding enhances durability and flexibility on use.
- ✔ Perforation promotes effective use.
- ✔ 10-30 times of weight absorbtion capacity.

Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
WPSMS-150-40.1X50-100 OIL ONLY ABSORBENT PED	40 cm x 50 cm	100	47 lt / Pack
WPSMS-200-40.1X50-100 OIL ONLY ABSORBENT PED	40 cm x 50 cm	100	63 lt / Pack
WPSMS-300-40.1X50-100 OIL ONLY ABSORBENT PED	40 cm x 50 cm	100	94 lt / Pack
WPSMS-350-40.1X50-100 OIL ONLY ABSORBENT PED	40 cm x 50 cm	100	109 lt / Pack
WPSMS-400-40.1X50-100 OIL ONLY ABSORBENT PED	40 cm x 50 cm	100	125 lt / Pack
*Custom size	*	*	*

G-SORB Product Code Glossary

Color	Type	Layers	-	GSM	-	Width cm & .Perforation	X	Length cm	-	# inner Pack / Meter Length	-	Packing	
			-		-	.	X		-	1	-	ZZ	
"G" Grey	"R" Roll	SMS,MMM,MM,M,SM	-	Roll thickness	gsm	-	Roll width cm and .perforation	X	Roll machine direction perforation	-	Roll Meter Length ""M	-	"PE" Paket
"W" White	"P" Ped	SMS,MMM,MM,M,SM	-	Ped thickness	gsm	-	Ped width cm and .perforation	X	Ped length cm	-	Ped # inner Pack	-	"CT" Carton
"C" Yellow	"S" Socks	null	-	Socks Weight	Gram	-	Socks Diameter cm	X	Socks Length cm	-	Socks # inner Pack	-	
"Y" Green	"Y" Pillow	null	-	Pillow Weight	Gram	-	Pillow Diameter cm	X	Pillow Length cm	-	Pillow # inner Pack	-	
"M" Blue	"B" Boom	null	-	Boom Weight	Gram	-	Boom Diameter cm	X	Boom Length cm	-	Boom # inner Pack	-	
"A" Pink	"DT" Drum Toppe	SMS,MMM,MM,M,SM	-	Drum Top thickness	gsm	-	Drum Topper Diameter cm	X	Drum Topper Diameter cm	-	Drum Topper # inner Pack	-	
.etc	"IT" IBC Topper	SMS,MMM,MM,M,SM	-	IBC Top thickness	gsm	-	IBC Topper Width cm	X	IBC Topper Length cm	-	IBC Topper # inner Pack	-	



OIL ONLY ABSORBENT ROLLS



FUNCTIONALTIES

- Selective Superabsorbent for oil and petrochemicals.
- Chemically inactive, resistivity against chemical decomposition.
- Multilayer ultrasonic bonding enhances durability and flexibility on use.
- Perforation promotes effective use.
- 10-30 times of weight absorption capacity.

Product Code	Size	# inner Pack	Absorption Capacity ASTM F726-81
WRSMS-200-40.1X50-50M OIL ONLY ABSORBENT ROLL	40 cm x 50 meters	1	62 lt / Roll
WRSMS-300-40.1X50-50M OIL ONLY ABSORBENT ROLL	40 cm x 50 meters	1	94 lt / Roll
WRSMS-400-40.1X50-50M OIL ONLY ABSORBENT ROLL	40 cm x 50 meters	1	125 lt / Roll
WRSMS-200-80.1X50-50M OIL ONLY ABSORBENT ROLL	80 cm x 50 meters	1	125 lt / Roll
WRSMS-300-80.1X50-50M OIL ONLY ABSORBENT ROLL	80 cm x 50 meters	1	187 lt / Roll
WRSMS-400-80.1X50-50M OIL ONLY ABSORBENT ROLL	80 cm x 50 meters	1	250 lt / Roll
*Custom size	*	*	*

G-SORB Product Code Glossary

Color	Type	Layers	-	GSM		-	Width cm & .Perforation	X	Length cm	-	# inner Pack / Meter Length	-	Packing
			-		-		X		-	1	-	ZZ	
"G" Grey	"R" Roll	SMS,MMM,MM,M,SM	-	Roll thickness	gsm	-	Roll width cm and .perforation	X	Roll machine direction perforation	-	Roll Meter Length ""M	-	"PE" Paket
"W" White	"P" Ped	SMS,MMM,MM,M,SM	-	Ped thickness	gsm	-	Ped width cm and .perforation	X	Ped length cm	-	Ped # inner Pack	-	"CT" Carton
"C" Yellow	"S" Socks	null	-	Socks Weight	Gram	-	Socks Diameter cm	X	Socks Length cm	-	Socks # inner Pack	-	
"Y" Green	"Y" Pillow	null	-	Pillow Weight	Gram	-	Pillow Diameter cm	X	Pillow Length cm	-	Pillow # inner Pack	-	
"M" Blue	"B" Boom	null	-	Boom Weight	Gram	-	Boom Diameter cm	X	Boom Length cm	-	Boom # inner Pack	-	
"A" Pink	"DT" Drum Topper	SMS,MMM,MM,M,SM	-	Drum Top thickness	gsm	-	Drum Topper Diameter cm	X	Drum Topper Diameter cm	-	Drum Topper # inner Pack	-	
etc	"IT" IBC Topper	SMS,MMM,MM,M,SM	-	IBC Topper thickness	gsm	-	IBC Topper Width cm	X	IBC Topper Length cm	-	IBC Topper # inner Pack	-	



OIL ONLY ABSORBENT SOCKS

FUNCTIONALTIES

- ✓ Selective Superabsorbtion for oil and petrochemicals.
- ✓ Minimum absorbency rate 10g/g of its own weight.
- ✓ Encircle and prevent spread of spills.
- ✓ Suitable for use on narrow cramped cases.
- ✓ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
WS-350-8X120-20 OIL ONLY ABSORBENT SOCKS	8 cm x 120cm	20	5.45 lt / Piece
WS-800-8X300-10 OIL ONLY ABSORBENT SOCKS	8 cm x 300cm.	10	12.5 lt / Piece
*Custom size	*	*	*

OIL ONLY ABSORBENT PILLOWS

FUNCTIONALTIES

- ✓ Selective Superabsorbtion for oil and petrochemicals.
- ✓ Minimum absorbency rate 10g/g of its own weight.
- ✓ Suitable for use on narrow cramped cases.
- ✓ Suitable for stationary leakages.
- ✓ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
WY-200-25X25-20 OIL ONLY ABSORBENT PILLOW	25 cm x 25cm	20	3.1 lt / Piece
WY-350-40X25-10 OIL ONLY ABSORBENT PILLOW	40 cm x 25cm	10	5.5 lt / Piece
WY-700-45X45-10 OIL ONLY ABSORBENT PILLOW	45 cm x 45cm	10	10.9 lt / Piece
*Custom size	*	*	*

OIL ONLY ABSORBENT PED DRUM TOPPER

FUNCTIONALTIES

- ✓ For use on 210lt Drums.
- ✓ Selective Superabsorbtion for oil and petrochemicals.
- ✓ Absorbs leakages and spills on top of Drums.
- ✓ Minimum absorbency rate 10g/g of its own weight.
- ✓ Chemically inactive, resistivity against chemical decomposition.




Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
WDT-200-56x56-25 OIL ONLY ABSORBENT PED DRUM TOPPER	56 cm x 56cm	25	1 lt / Piece
*Custom size	*	*	*

OIL ABSORBENT BOOM 13x300

FUNCTIONALTIES

- ✔ Chemically inactive, resistivity against chemical decomposition.
- ✔ Selective Superabsorbtion for oil, petrochemicals; 10 times of weight absorbtion capacity. Hydrophobic, does not absorb water.
- ✔ Does not sink into water. Absorbs petrochemicals floating on water.
- ✔ Encircle and prevent spread of spills.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
WB-2500-13X300-4 O13300-4 MARINE BOOMS	13 cm x 300cm	4	25 lt / Piece 100 lt / Pack

OIL ABSORBENT BOOM 20x300

FUNCTIONALTIES

- ✔ Chemically inactive, resistivity against chemical decomposition.
- ✔ Selective Superabsorbtion for oil, petrochemicals; 10 times of weight absorbtion capacity. Hydrophobic, does not absorb water.
- ✔ Does not sink into water. Absorbs petrochemicals floating on water.
- ✔ Encircle and prevent spread of spills.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
WB-4500-20X300-4 O20300-4 MARINE BOOMS	20 cm x 300cm	4	45 lt / Piece 190 lt / Pack

CHEMICAL ABSORBENT PED-SHEET



FUNCTIONALTIES

- Superabsorbent for oil, petrochemicals, solvents, chemicals and all liquids.
- Chemically inactive, resistivity against chemical decomposition.
- Multilayer ultrasonic bonding enhances durability and flexibility on use.
- Perforation promotes effective use.
- 10-30 times of weight absorption capacity.

Product Code	Size	# inner Pack	Absorbent Capacity ASTM F726-81
CPSMS-150-40.1X50-100 CHEMICAL ABSORBENT PED	40 cm x 50 cm	100	47 lt / Pack
CPSMS-200-40.1X50-100 CHEMICAL ABSORBENT PED	40 cm x 50 cm	100	63 lt / Pack
CPSMS-300-40.1X50-100 CHEMICAL ABSORBENT PED	40 cm x 50 cm	100	94 lt / Pack
CPSMS-350-40.1X50-100 CHEMICAL ABSORBENT PED	40 cm x 50 cm	100	109 lt / Pack
CPSMS-400-40.1X50-100 CHEMICAL ABSORBENT PED	40 cm x 50 cm	100	125 lt / Pack

G-SORB Product Code Glossary

Color	Type	Layers	-	GSM			-	Width cm & .Perforation	X	Length cm	-	# inner Pack / Meter Length	-	Packing
			-		-		-	.	X		-	1	-	ZZ
"G" Grey	"R" Roll	SMS,MMM,MM,M,SM	-	Roll thickness	gsm	-	Roll width cm and .perforation	X	Roll machine direction perforation	-	Roll Meter Length ""M	-	"PE" Paket	
"W" White	"P" Ped	SMS,MMM,MM,M,SM	-	Ped thickness	gsm	-	Ped width cm and .perforation	X	Ped length cm	-	Ped # inner Pack	-	"CT" Carton	
"C" Yellow	"S" Socks	null	-	Socks Weight	Gram	-	Socks Diameter cm	X	Socks Length cm	-	Socks # inner Pack	-		
"Y" Green	"Y" Pillow	null	-	Pillow Weight	Gram	-	Pillow Diameter cm	X	Pillow Length cm	-	Pillow # inner Pack	-		
"M" Blue	"B" Boom	null	-	Boom Weight	Gram	-	Boom Diameter cm	X	Boom Length cm	-	Boom # inner Pack	-		
"A" Pink	"DT" Drum Topper	SMS,MMM,MM,M,SM	-	Drum Top thickness	gsm	-	Drum Topper Diameter cm	X	Drum Topper Diameter cm	-	Drum Topper # inner Pack	-		
etc	"IT" IBC Topper	SMS,MMM,MM,M,SM	-	IBC Topper thickness	gsm	-	IBC Topper Width cm	X	IBC Topper Length cm	-	IBC Topper # inner Pack	-		



CHEMICAL ABSORBENT ROLLS



FUNCTIONALTIES

- ✓ Superabsorbent for oil, petrochemicals, solvents, chemicals and all liquids.
- ✓ Chemically inactive, resistivity against chemical decomposition.
- ✓ Multilayer ultrasonic bonding enhances durability and flexibility on use.
- ✓ Perforation promotes effective use.
- ✓ 10-30 times of weight absorbent capacity.

Product Code	Size	# inner Pack	Absorbent Capacity ASTM F726-81
CRSMS-200-40.1X50-50M CHEMICAL ABSORBENT ROLL	40 cm x 50 met.	1	62 lt / Roll
CRSMS-300-40.1X50-50M CHEMICAL ABSORBENT ROLL	40 cm x 50 met.	1	94 lt / Roll
CRSMS-400-40.1X50-50M CHEMICAL ABSORBENT ROLL	40 cm x 50 met.	1	125 lt / Roll
CRSMS-200-80.1X50-50M CHEMICAL ABSORBENT ROLL	80 cm x 50 met.	1	125 lt / Roll
CRSMS-300-80.1X50-50M CHEMICAL ABSORBENT ROLL	80 cm x 50 met.	1	187 lt / Roll
CRSMS-400-80.1X50-50M CHEMICAL ABSORBENT ROLL	80 cm x 50 met.	1	250 lt / R Roll ulo
*	*	*	*

G-SORB Product Code Glossary

Color	Type	Layers	-	GSM	-	Width cm & Perforation	X	Length cm	-	# inner Pack / Meter Length	-	Packing	
			-		-		X		-	1	-	ZZ	
"G" Grey	"R" Roll	SMS,MMM,MM,M,SM	-	Roll thickness	gsm	-	Roll width cm and .perforation	X	Roll machine direction perforation	-	Roll Meter Length ""M	-	"PE" Paket
"W" White	"P" Ped	SMS,MMM,MM,M,SM	-	Ped thickness	gsm	-	Ped width cm and .perforation	X	Ped length cm	-	Ped # inner Pack	-	"CT" Carton
"C" Yellow	"S" Socks	null	-	Socks Weight	Gram	-	Socks Diameter cm	X	Socks Length cm	-	Socks # inner Pack	-	
"Y" Green	"Y" Pillow	null	-	Pillow Weight	Gram	-	Pillow Diameter cm	X	Pillow Length cm	-	Pillow # inner Pack	-	
"M" Blue	"B" Boom	null	-	Boom Weight	Gram	-	Boom Diameter cm	X	Boom Length cm	-	Boom # inner Pack	-	
"A" Pink	"DT" Drum Topper	SMS,MMM,MM,M,SM	-	Drum Topper thickness	gsm	-	Drum Topper Diameter cm	X	Drum Topper Diameter cm	-	Drum Topper # inner Pack	-	
etc	"IT" IBC Topper	SMS,MMM,MM,M,SM	-	IBC Topper thickness	gsm	-	IBC Topper Width cm	X	IBC Topper Length cm	-	IBC Topper # inner Pack	-	



CHEMICAL ABSORBENT SOCKS

FUNCTIONALTIES

- ✔ Superabsorbent for oil, petrochemicals, chemicals and all liquids.
- ✔ Minimum absorbency rate 10g/g of its own weight.
- ✔ Encircle and prevent spread of spills.
- ✔ Suitable for use on narrow cramped cases.
- ✔ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
CS-350-8X120-20 CHEMICAL ABSORBENT SOCKS	8 cm x 120cm	20	5.45 lt / Piece
CS-800-8X300-10 CHEMICAL ABSORBENT SOCKS	8 cm x 300cm.	10	12.5 lt / Piece
*	*	*	*

CHEMICAL ABSORBENT PILLOWS

FUNCTIONALTIES

- ✔ Superabsorbent for oil, petrochemicals, chemicals and all liquids.
- ✔ Minimum absorbency rate 10g/g of its own weight.
- ✔ Suitable for use on narrow cramped cases.
- ✔ Suitable for stationary leakages.
- ✔ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
CY-200-25X25-20 CHEMICAL ABSORBENT PILLOW	25 cm x 25cm	20	3.1 lt / Piece
CY-350-40X25-10 CHEMICAL ABSORBENT PILLOW	40 cm x 25cm	10	5.5 lt / Piece
CY-700-45X45-10 CHEMICAL ABSORBENT PILLOW	45 cm x 45cm	10	10.9 lt / Piece
*	*	*	*

CHEMICAL ABSORBENT PED DRUM TOPPER

FUNCTIONALTIES


- ✔ For use on 210lt Drums.
- ✔ Superabsorbent for oil, petrochemicals, chemicals and all liquids.
- ✔ Absorbs leakages and spills on top of Drums.
- ✔ Minimum absorbency rate 10g/g of its own weight.
- ✔ Chemically inactive, resistivity against chemical decomposition.



Product Code	Size	# inner Pack	Absorbtion Capacity ASTM F726-81
CDT-200-56x56-25 CHEMICAL ABSORBENT DRUM TOPPER	56 cm x 56cm	25	1 lt / Piece
*	*	*	*


SM ABRASIVE WIPES

- 2 Layers, Abrasive Industrial Cleaning Wipes
- Composition A: PP Spunbond + PP Meltblown
- Composition B: PET Spunlace + PP Spunbond
- Thermally bonded durable structure



SCRUBBY SIDE

SMOOTH SIDE




MSM ABSORBENT CLEANING WIPES

- 3 layers, Mechanical Reinforcement
- Low Lint Cleaning Absorbent Wipes
- Thermally bonded durable structure



SMMMS LINT FREE CLEANING WIPES

- 3-5 Layers, Mechanical Reinforcement
- Lint Free Industrial Cleaning Wipes
- Thermally bonded durable structure





FUNCTIONALITIES

- **3 Layer structure**
- **Polybacking layer provides liquid barrier**
- **Highly Absorbent Top Layer**
- **Top Layer can be**
 - **SMS Meltblown: High Absorbency**
 - **Recycled Fiber: Economic**
 - **PET NeedlePunch: Durability**



FUNCTIONALITIES

- **Self Adhesive Bottom Layer: Easy to operate**
- **Polybacking layer provides liquid barrier**
- **PET NeedlePunch Top Layer: Durable**
- **Pedestrial Roads, Machine Near/Rear Maintenance Operation, Lightweight Truck Roads**

PRODUCT CODE : SWB80LT
VOLUME : 80 LITERS
WEIGHT : 4.9kg
LOADING : LOOSE
PAKING TYPE : STRECHED
INNER PACK : 15
TRUCK LOADING: 2300 PIECE
40HC LOADING : 2100 PIECE



PRODUCT CODE : SWB120LT
VOLUME : 120 LITERS
WEIGHT : 8.6kg
LOADING : LOOSE
PAKING TYPE : STRECHED
INNER PACK : 15
TRUCK LOADING: 1750 PIECE
40HC LOADING : 1500 PIECE



PRODUCT CODE : SWB240LT
VOLUME : 240 LITERS
WEIGHT : 11.4kg
LOADING : LOOSE
PAKING TYPE : STRECHED
INNER PACK : 10
TRUCK LOADING: 750 PIECE
40HC LOADING : 680 PIECE




PRODUCT CODE : SCB660LT
VOLUME : 660 LITERS
WEIGHT : 41.50kg
LOADING : LOOSE
PAKING TYPE : STRECHED
INNER PACK : 10
TRUCK LOADING: 280 PIECE
40HC LOADING : 220 PIECE



PRODUCT CODE : SCB1100LT
VOLUME : 1100 LITERS
WEIGHT : 135.1kg
LOADING : LOOSE
PAKING TYPE : STRECHED
INNER PACK : 6
TRUCK LOADING: 170 PIECE
40HC LOADING : 150 PIECE

GSP43

WIDTH: 655 mm
 LENGTH: 655 mm
 HEIGHT: 220 mm
 VOLUME: 43 LT



Removable grill


Manufactured from corrosion resistant polyethylene

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



GSP43-Recycled

WIDTH: 655 mm
 LENGTH: 655 mm
 HEIGHT: 220 mm
 VOLUME: 43 LT



Removable grill


Manufactured from corrosion resistant polyethylene

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



GSP157

WIDTH: 647 mm
LENGTH: 1280 mm
HEIGHT: 370 mm
VOLUME: 157 LT




- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments

%100
Polyethylene

GSP157-Recycled

WIDTH: 647 mm
LENGTH: 1280 mm
HEIGHT: 370 mm
VOLUME: 157 LT




- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



GSP245

WIDTH: 647 mm
LENGTH: 1280 mm
HEIGHT: 575 mm
VOLUME: 245 LT



Removable grill

Manufactured from corrosion resistant polyethylene

2 way forklift access


- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



%100
Polyethylene

GSP245-Recycled

WIDTH: 647 mm
LENGTH: 1280 mm
HEIGHT: 575 mm
VOLUME: 245 LT



Removable grill

Manufactured from corrosion resistant polyethylene

2 way forklift access

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



GSP235

WIDTH: 1280 mm
LENGTH: 1280 mm
HEIGHT: 340 mm
VOLUME: 235 LT



Removable grill

4 way forklift access

Manufactured from corrosion resistant polyethylene

GSP235-Recycled

WIDTH: 1280 mm
LENGTH: 1280 mm
HEIGHT: 340 mm
VOLUME: 235 LT

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments

%100
Polyethylene



4 way forklift access

Manufactured from corrosion resistant polyethylene

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



GSP435

WIDTH: 1280 mm
LENGTH: 1280 mm
HEIGHT: 515 mm
VOLUME: 435 LT



Removable grill

4 way forklift access

Manufactured from corrosion resistant polyethylene

GSP435-Recycled

WIDTH: 1280 mm
LENGTH: 1280 mm
HEIGHT: 515 mm
VOLUME: 435 LT

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments

%100
Polyethylene



4 way forklift access

Manufactured from corrosion resistant polyethylene

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



GSP1200

WIDTH: 1280 mm
 LENGTH: 1280 mm
 HEIGHT: 1250 mm
 VOLUME: 1200 LT



GSP1200-Recycled

WIDTH: 1280 mm
 LENGTH: 1280 mm
 HEIGHT: 1250 mm
 VOLUME: 1200 LT

- Chemical spill pallets for drums
- Resistant to hazardous acids, caustics and solvents
- Useful for dirty environments



- Chemical spill pallets for drums
 - Resistant to hazardous acids, caustics and solvents
 - Useful for dirty environments
- 